

## Peace Harbor Medical Center Outpatient Infusion Service Request

Phone: (541) 902-6019 Fax: (541) 902-1649

Thank you for selecting our infusion services team to care for your patient. Please provide ALL information listed below to ensure that we can process orders and schedule your patient for treatment without delay.

## Part A- Patient scheduling and contact information: Patient Name (Last, First): \_\_\_\_\_\_\_Date of Birth: \_\_\_\_\_\_ Patient Contact Information and Phone Number (s): Ordering Provider Name (Print): Provider Clinic or Service Address: Clinic or Service Phone Number: \_\_\_\_\_\_ Clinic or Service Fax Number: \_\_\_\_\_\_ Diagnosis (include ICD 10 codes): Medication and Service Requested- list J-Code/ CPT code if known: \_\_\_\_\_\_ Date Service is Requested to Begin: \_\_\_\_\_\_ Date Service is Expected to End: \_\_\_\_ Order will expire 1 year from date of provider signature unless "date service is expected to end" is earlier. Part B- Insurance and Prior Authorization. Any non-PeaceHealth provider must obtain prior authorization prior to service. Attach a copy of authorization documentation received from insurance payer when submitting orders. Insurance (Payer) Company: Prior Authorization Number and Conditions: Prior Authorization Expiration Date: Insurance (Payer) Contact Phone Number: Part C- Elements needed to guide medication therapy are included with request for service: Orders and instruction (use the PeaceHealth approved ordering form if you are not a PeaceHealth provider) are complete and include provider signature at the bottom of each page. Check the boxes of ALL orders you would like to activate. For blood products, PeaceHealth Blood and Transfusion Consent form is signed and dated by the provider and the patient. If information is located outside of PeaceHealth's electronic medical record system attach the following: A list of current medications reconciled by patient provider is available and includes a list of known allergies. Recent progress notes from ordering provider. A copy of relevant laboratory results and other appropriate supporting documentation. IMPORTANT MESSAGE TO PROVIDERS: To reduce delays in treatment and added phone calls, you may participate to utilize PeaceHealth preferred medication formulary options by signing this document. A clinical pharmacist will adjust orders to align with PeaceHealth medical staff approved medication formulary options, policies, and procedures. I agree to utilize PeaceHealth preferred medication formulary options, policies and procedures that have been authorized by PeaceHealth Medical Staff. This agreement will be issued for the duration of active orders contained within this treatment plan. PROVIDER SIGNATURE: \_\_\_\_\_ DATE: \_\_\_\_\_ TIME:\_\_\_\_

FAX completed service request and orders to: PHMC OP Infusion and Nursing Services 541-902-1649



Progress & Orders



## Magnesium Outpatient Infusion Therapy Plan

All Pre-Selected Boxed Orders Are Initiated by Default Unless Crossed Out by Practitioner. All Boxed Orders Require Practitioner Check to be Initiated.

Heading	Content		
Supportive Care	Choose one of the following:		
	☐ Magnesium sulfate gram IV <b>once.</b>		
	☐ Magnesium sulfate IV <b>weekly</b> based on lab value. Check lab results prior to releasing this order:		
	For magnesium level 1.5-1.7 mg/dL: give 2 grams magnesium sulfate IV		
	For magnesium level 0.9-1.4 mg/dL: give 4 grams magnesium sulfate IV		
	For magnesium level less than 0.9 mg/dL: start 4 grams magnesium sulfate IV and call		
	provider for additional orders		
	☐ OTHER: Magnesium sulfate IV(frequency) based on lab value. Check lab results prior to		
	releasing this order:		
	For magnesium serum levelmg/dL, give grams magnesium sulfate IV		
Labs	Magnesium level prior to each treatment		
	☐ Treatment lab instructions – Provider approves to release and draw labs 2 days pre and post this planned treatment date.		
Nursing Orders	<ul> <li>✓ Nursing communication – Check serum magnesium and infuse ordered dose of medication based</li> </ul>		
	on lab values as indicated with provider order.		
Nursing IV Access	Select the most appropriate option below:		
and Maintenance			
	Sodium chloride 0.9% (NS) flush 10 mL IV once as needed for line care		
	☐ Access and use NON-PICC Central Line/CVAD as needed and confirm patency; implement the		
	following:		
	Initiate Central Line (Non-PICC) maintenance protocol		
	Sodium chloride 0.9% (NS) injection 10 mL IV as needed for line care before and after		
	medication administration, at discharge, and at de-access		
	Sodium chloride 0.9% (NS) injection 20 mL IV once as needed for line care post lab draw      Hengrin, porcine (RE) 100 unit/mL flush 5 mL IV as needed for line care, for de-access		
	<ul> <li>Heparin, porcine (PF) 100 unit/mL flush 5 mL IV as needed for line care, for de-access</li> <li>Alteplase (Cathflo) inject 2 mg intra-catheter once as needed x 2 doses. For clearing central</li> </ul>		
	line catheter. Add 2.2 mL sterile water for injection to vial; let the vial stand undisturbed to		
	allow large bubbles to dissipate. Mix by gently swirling until completely dissolved (complete		
	dissolution should occur within 3 minutes); do not shake. Final concentration: 1 mg/mL.		
	Retain in catheter for 30 minutes to 2 hours, instill a second dose if occluded.		
	☐ Access and use PICC Central Line/CVAD as needed and confirm patency; implement the following:		
	Initiate PICC maintenance protocol		
	Change PICC line dressing weekly and as needed		
	<ul> <li>Sodium chloride 0.9% (NS) injection 10 mL IV as needed for line care before and after medication administration</li> </ul>		
	Sodium chloride 0.9% (NS) injection 20 mL IV once as needed for line care post lab draw		
	Alteplase (Cathflo) injection 2 mg intra-catheter once as needed x 2 doses. For clearing central		
	line catheter. Add 2.2 mL sterile water for injection to vial; let the vial stand undisturbed to		

Practitioner Signature: \_\_\_\_\_\_Date of Order: \_\_\_\_\_Time: \_\_\_\_\_

Final page of orders must include signature of the ordering practitioner, date, and time.



Progress & Orders



## Magnesium Outpatient Infusion Therapy Plan

All <u>Pre-Selected Boxed Orders</u> Are Initiated by Default Unless Crossed Out by Practitioner. All <u>Boxed Orders</u> Require Practitioner Check to be Initiated.

Heading	Content		
	allow large bubbles to dissipate. Mix by gently swirling until completely dissolved (complete		
	dissolution should occur within 3 minutes); do not shake. Final concentration: 1 mg/mL.		
	Retain in catheter for 30 minutes to 2 hours, instill a second dose if occluded.		
As Needed	☐ DiphenhydrAMINE (Benadryl) injection 50 mg IV as needed for itching or hives. May give an		
Medications	additional 50 mg PO or IV 4 hours after first dose.		
	☐ DiphenhydrAMINE (Benadryl) 50 mg PO as needed for itching or hives. May give an additional 50		
	mg PO or IV 4 hours after first dose.		
	Sodium chloride 0.9% (NS) flush 10 mL IV as needed for line care.		
	☑ Sodium chloride 0.9% 500 mL continuous infusion IV once as needed at 25 mL/hour IV for line care.		
Referral			
PHMC Outpatient	PROVIDER – PLEASE SIGN, DATE AND TIME ORDERS AND RETURN TO:		
Infusion Contact			
Information	PeaceHealth Peace Harbor Medical Center Outpatient Infusion Services Department		
	400 Ninth Street		
	Florence, OR 97439		
	Contact Phone: 541-902-6019 and FAX <b>541-902-1649</b>		
Authorization by	Person giving verbal or telephone order:		
Verbal or	Person receiving verbal or telephone order:		
Telephone Order	☐ Check to indicate verbal or telephone orders have been read back to confirm accuracy		

Practitioner Signature:	Date of Order:	Time:

Final page of orders must include signature of the ordering practitioner, date, and time.